Source Water Assessment Report



Public Water Supply: HARPER, CITY OF

Assessment Areas Include: 138, 139



Kansas Department of Health and Environment Bureau of Water Watershed Management Section 1000 SW Jackson St., Suite 420 Topeka, KS 66612–1367





Burns &McDonnell 9400 Ward Parkway Kansas City, MO 64114 Kansas Geological Survey University of Kansas 1930 Constant Ave. Lawrence, KS 66047

Reports were generated with the Automated Source Water Assessment Tool (ASWAT). Assessments were completed online using ASWAT by hundreds of state employees, public water supply staff, and technical assistant providers throughout the State of Kansas.

Table Of Contents

Report Description	
Assessment Area 138	<u>1.0</u>
Executive Summary	<u>1.1</u>
Potential Sources	<u>1.2</u>
Added Sources	<u>1.3</u>
Potential Contaminants Summary	<u>1.4</u>
Potential Contaminants Listing	<u>1.5</u>
Protection Measures	<u>1.6</u>
Assessment Analysis	<u>1.7</u>
Site Comments	<u>1.8</u>
Added Site Comments	<u>1.9</u>
Analysis Question Comments	<u>1.10</u>
Assessment Area 139	<u>2.0</u>
Executive Summary	<u>2.1</u>
Potential Sources	<u>2.2</u>
Added Sources	2.3
Potential Contaminants Summary	<u>2.4</u>
Potential Contaminants Listing	<u>2.5</u>
Protection Measures	2.6
Assessment Analysis	<u>2.7</u>
Site Comments	<u>2.8</u>
Added Site Comments	<u>2.9</u>
Analysis Ouestion Comments	2.10

Report Description

Detailed Explanation of Entire Report:

The 1996 amendments to the Safe Drinking Water Act require each state to develop a Source Water Assessment Program (SWAP) and a Source Water Assessment (SWA) for each Public Water Supply (PWS) that treats and distributes raw source water. In Kansas there are 761 public water supplies that require SWAs. A SWA includes a delineation of the source water assessment area, an inventory of potential contaminant sources, and a susceptibility analysis.

A PWS can consist of one or more individual assessment areas that require different assessments. In general, an assessment area is delineated at a two-mile fixed radius for a groundwater well. A surface water intake assessment area is the upstream-drainage area (watershed), inside the state border. Additionally, an assessment area can consist of an individual well, group of wells, an individual surface water intake, or multiple surface water intakes.

After each assessment is completed a report is automatically generated using an Internet-based application called the Automated Source Water Assessment Tool (ASWAT). The individual assessment reports combine to form the entire SWA report for a PWS.

A map of each Assessment Area was also generated with ASWAT. However, for security reasons the maps are not included in this report. To obtain a copy of the map(s), please contact your local PWS.

All PWS reports will be available for viewing and downloading on KDHE's Watershed Management Section website(http://www.kdhe.state.ks.us/nps) in 2004.

HARPER, CITY OF Summary:

AA	Туре	Diversion Id
138	Ground water multiple wells	007, 006
139	Ground water single well	005

Assessment Area: 138

Diversion Id's: **007, 006**Status: **Accepted**

Submit Date: 2002–10–28 13:20:05

Executive Summary:

The Executive Summary gives the assessment area's Susceptibility Likelihood Score (SLS) for each contaminant of concern category.

SLS indicates which contaminant category is most likely to impact a given public water supply. Contaminants of concern for groundwater include microbiological, inorganic compounds, nitrates, synthetic organic compounds, pesticides, and volatile organic compounds. Contaminants of concern for surface water include microbiological, inorganic compounds, eutrophication – phosphorus, sedimentation, synthetic organic compounds, pesticides, and volatile organic compounds.

To determine the assessment area's susceptibility to contamination, a qualitative (semi-quantitative) screening level susceptibility analysis was designed that utilizes general assumptions and best professional judgement. It is a systematic procedure comprised of simple yes/no questions. Each question in the susceptibility analysis focuses on the presence or absence of potential pollution sources in the assessment area. SLS is most useful in helping the Public Water Supply (PWS) focus on water quality protection actions towards a contaminant category of concern. For example, if the SLS for microbiological contamination is high, relative to volatile organic compounds (VOC), water supply protection planners would conclude that the attention should be directed towards microbiological contaminant sources rather than VOC sources.

Executive Summary

Public Water Supply: HARPER, CITY OF

Assessment Area: 138

Susceptibility Likelihood Scores for Assessment Area

Contaminant Category	A	В	B*	С	C*	D
Susceptibility Likelihood Score – SLS	69	66	64	72	59	71
SLS Range	Mid	Mid	Mid	Mid	Mid	Mid

A – Microbiolgical

B* – Nitrates

C* – Pesticides

B – Inorganic Compounds

C – Synthetic Organic Compounds

D – Volatile Organic Compounds

Susceptibility Likelihood Range

SLS Range	
0-50	Low Susceptibility
51-80	Moderate Susceptibility
81–100	High Susceptibility

Assessment Area: 138

Diversion Id's: **007, 006**Status: **Accepted**

Submit Date: 2002–10–28 13:20:05

Potential Sources:

The Potential Sources section lists all the sites that have been identified as potential sources of contamination.

Potential sources of contamination may include land uses, industry, or businesses that could generate or store chemicals/substances that could potentially contaminate the water supply only if released into the environment. Both unregulated sites from business location databases and regulated sites from various KDHE databases were compiled. Additional sites could have been added by an evaluator through the assessment process to supplement the original data.

The 1987 Standard Industrial Classifications (SIC) were used to identify potential contaminate sites. The SIC system classifies establishments into industries on the basis of the primary activities of the establishment.

Each assessment area is delineated with 3 assessment zones. These zones can be used to get a general understanding of the potential influence sites have based on proximity to the water supply. Zone A is a 100–foot radius around a groundwater well and a 1000–foot radius around a surface water intake. Zone B is a 2000–foot radius around wells and a hydrological delineated buffer around the surface water sources. Zone C is a 2–mile radius around wells and the balance of the watershed for intakes. The potential sources listed in this section are sorted to show all the potential sources in Zone A first, Zone B second, and Zone C third.

Although a facility or business is identified in the study as a potential concern, it does not necessarily mean a release or spill has occurred. Contamination could only occur if certain chemical substances are released into the environment and filter into the water supply source.

The data for the potential sources of contamination was compiled from May through August in 2002. Some of the databases used were incomplete datasets that are continually being updated. Due to the incompleteness, inaccuracies, and new development, it is possible that sources of potential contamination that are in the assessment area are not included in the report. Inaccurate locations could also cause sources to show up in the assessment area that are not actually in the assessment. Additionally, duplication between the datasets could cause sites to show up multiple times in the assessment area.

Potential Sources

Public Water Supply: HARPER, CITY OF

Assessment Area: 138

Unregulated Potential Site Sources

Source No.	SIC Description	SIC ID	Zone
167654	General Farm, Primarily Crop	191	С
167625	Single-family Housing Construction	1521	С
167563	Newspapers Publishing and Printing	2711	С
167639	Ready-mix Concrete Plant	3273	С
167540	Metal Doors, Sash, and Trim Manufacturing	3442	С
167543	Farm Machinery and Equipment	3523	С
167656	Farm Machinery and Equipment	3523	С
167650	Machinery, Except Electrical Manufacturing	3599	С
167655	Machinery, Except Electrical Manufacturing	3599	С
167583	Signs and Advertising Display Manufacturing	3993	С
167628	Refuse Systems	4953	С
167657	Farm and Garden Machinery	5083	С
167653	Scrap and Waste Materials	5093	С
167608	Gasoline Service Station	5541	С

Unregulated Potential Site Sources

Source No.	SIC Description	SIC ID	Zone
167621	Gasoline Service Station	5541	С
167645	Gasoline Service Station	5541	С
167612	Recreational vehicle sales and repair	5561	С
167659	Top, Body, and Upholstery Repair Shops and Paint Shops	7532	С
167617	Auto Truck Repair Service	7538	С
167635	Repair Services, Nec	7699	С

Regulated Confined Animal Feeding Operations Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
2000651	Bergman Farms	A-ARHP-BA04	С
2001265	Bergman Farms	A-ARHP-BA03	С

Regulated Hazardous Waste Potential Site Sources

Did Not Contain Any Of These Potential Site Sources

Regulated Leaking Storage Tank Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
3000163	Ron's Service	01967	С

Regulated Leaking Storage Tank Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
3002350	Harper Co Shop, Harper	29770	С

Regulated Identified Contaminated Potential Site Sources

Did Not Contain Any Of These Potential Site Sources

Regulated Solid Waste Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
5000484	Hi-Grade Sand Co.	0468-S	С

Regulated Waste Water Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
6001036	HARPER MWTP	M-AR40-OO01	С
6001995	DEWEZE MANUFACTURING, INC.	P-AR40-OO01	С

Assessment Area: 138

Diversion Id's: 007, 006
Status: Accepted

Submit Date: 2002–10–28 13:20:05

Added Sources:

The Added Sources section lists all the sites that have been added as potential sources of contamination by an evaluator through the assessment process to supplement the original data.

The potential sources listed in this section are sorted to show the added potential sources in Zone A first, Zone B second, and Zone C third.

Although a facility or business was added as a potential concern, it does not necessarily mean a release or spill has occurred. Contamination could only occur if certain chemical substances are released into the environment and filter into the water supply source.

Added Sources

Public Water Supply: HARPER, CITY OF

Assessment Area: 138

Added Potential Site Sources

Source No.	Source Name	SIC ID	Zone
9000567	Irrigation equipment, pump site, and well	10012	В
9000572	Irrigation equipment, pump site, and well	10012	В
9000574	Fuel, grain and feed and hay storage	10026	В
9000573	alfalfa field	10086	В
9000167	dryland cropland	111	В
9000568	irrigated cropland	111	В
9000566	irrigated and dryland cropland	116	В
9000571	irrigated cropland	116	В
9000172	grassland	0	С
9000174	irrigration pumps	10012	С
9000170	Salvage/Recycler	10015	С
9000575	Salvage/Recycler	10015	С
9000169	Ag. Center Pesticide and Fertilizer Application Servic	10038	С
9000173	dryland cropland	111	С
9000168	City Municipal Airport	4582	С

Assessment Area: 138

Diversion Id's: 007, 006
Status: Accepted

Submit Date: 2002–10–28 13:20:05

Potential Contaminants Summary:

The Contaminants Summary shows the number of identified unregulated sources in the assessment area for each contaminant of concern category.

In order to obtain the number or sources for each category, a relationship was correlated between each Standard Industrial Classification (SIC) and the contaminant of concern categories. Each SIC was assessed and associated with contaminant categories. For example, if not managed properly, a car wash (SIC 7542) could potentially contaminate an intake because of inorganic compounds (IOC) and volatile organic compounds (VOC); thus, a car wash is associated with IOCs and VOCs.

A chart displays a count for each contaminant category. The sum for each category represents the total number of identified sources that have been associated with that particular contaminant category. However, the total number of identified sources does not include contaminants from the Added Sources. In our example, a car wash would be considered 2 sources of contamination. It would be a potential source of contamination for IOCs and for VOCs; thus, 1 would be added to the total number of sources in the VOC category and 1 would be added to the IOC category.

Potential Contaminants Summary

Public Water Supply: HARPER, CITY OF

Assessment Area: 138

Number of Unregulated Site Sources Identified for each Contaminant Category

MicroBiological	Pesticides	IOC's	SOC's	VOC's	Nitrates
2	2	19	3	13	3

A – Microbiolgical

B* – Nitrates

C* - Pesticides

B – Inorganic Compounds

C – Synthetic Organic Compounds

D – Volatile Organic Compounds

Assessment Area: 138

Diversion Id's: 007, 006
Status: Accepted

Submit Date: 2002–10–28 13:20:05

Potential Contaminants Listing:

The Potential Contaminants section lists the contaminant of concern category associated with each Standard Industrial Classification (SIC) found in an assessment area. A complete list of contaminant category codes are located at the bottom of this page.

The relationships defined between the Standard Industrial Classifications (SIC) and the contaminant of concern categories are displayed in a table format. Using our car wash example, the relationships can be better illustrated. A car wash could release IOC and VOC chemical substances. The connection is shown by indicating the SIC, 7542, and the associated contaminant categories, IOC (Category B) and VOC (Category D). However, the contaminants listed are not associated with any Added Sources.

The list is sorted by the SIC source description and it only shows unique SIC sources. For example, an assessment area can have 20 car washes in an assessment area, but the list is only going to show contaminant categories associated with car washes onetime. This is because all car washes have the same SIC and every car wash poses the same potential threat to water intakes.

A – Microbiolgical B – Inorganic Compounds
 B2 – Sedimentation B* – Nitrates
 B1 – Eutrophication – Phosphorous
 C – Synthetic Organic Compounds

C* – Pesticides **D** – Volatile Organic Compounds

Potential Contaminants Listing

Public Water Supply: HARPER, CITY OF

Assessment Area: 138

Unregulated Identified Site Sources and associated Potential Contaminant Category

SIC ID	SIC Source	Potential Contaminant	Contaminant Category
7538	Auto Truck Repair Service	Inorganics, VOCs	В
"	"	"	D
5541	Gasoline Service Station	Inorganics, VOCs	В
"	"	"	D
3599	Machinery, Except Electrical Manufacturing	inorganics, VOCs	В
"	"	"	D
3442	Metal Doors, Sash, and Trim Manufacturing	inorganics	В
"	"	"	D
3273	Ready-mix Concrete Plant	Minerals and TSS	В
5093	Scrap and Waste Materials	Metals, TSS	В
3993	Signs and Advertising Display Manufacturing	inorganics, VOCs	В
"	"	"	D
1521	Single–family Housing Construction	Oil, Paint, Pesticides, Fertilizers	A
"	"	"	B1
"	"	"	B2
"	"	"	B*
"	"	"	С

Unregulated Identified Site Sources and associated Potential Contaminant Category.

SIC ID	SIC Source	Potential Contaminant	Contaminant Category
7532	Top, Body, and Upholstery Repair Shops and Paint Shops	Inorganics, VOCs	В
"	"	"	D
3523	Farm Machinery and Equipment	inorganics	В
"	"	"	D
5083	Farm and Garden Machinery	inorganics	В
191	General Farm, Primarily Crop	fertilizers, Pesticides	В
"	"	"	B1
"	"	"	B2
"	"	"	B*
"	"	"	C*
2711	Newspapers Publishing and Printing	Inorganics, VOCs, Semi volatiles	В
"	"	"	С
"	"	"	D
5561	Recreational vehicle sales and repair	Inorganics	В
4953	Refuse Systems	ALL	A
"	"	"	В
"	"	"	B1
"	"	"	B2
"	"	"	B*

Unregulated Identified Site Sources and associated Potential Contaminant Category.

SIC ID	SIC Source	Potential Contaminant	Contaminant Category
4953	Refuse Systems	ALL	С
"	"	"	C*
"	"	"	D
7699	Repair Services, Nec	inorganics	В

Assessment Area: 138

Diversion Id's: **007, 006**Status: **Accepted**

Submit Date: 2002–10–28 13:20:05

Protection Measures:

The Protection Measures section shows water quality protection measures for the Standard Industrial Classifications (SIC) identified in the assessment area.

Previous sections of this report are designed to show areas that Public Water Supplies (PWS) can focus on to improve the susceptibility of an assessment area. This section helps identify water quality protection measures that a PWS can use as guidance for implementing action for a potential contaminant site in the assessment area. It focuses on protection measures that can reduce the risk of contamination to the water supply.

This portion of the report only displays water quality protection measures for each type of SIC found in the assessment area. It does not display protection measures for each site in the assessment area because every SIC should have the same or similar water quality protection management practices. However, the protection measures listed are not associated with any Added Sources.

Protection Measures

Public Water Supply: HARPER, CITY OF

Assessment Area: 138

Recommended Water Quality Protection Measures

SIC	SIC Source	Contaminant Source	Water Quality Protection Measure	Regulatory Authority
7538	Auto Truck Repair Service	Inorganics, VOCs	Discharge to POTW. Manage oil products and used oil so that it is not in contact with water	40 CFR 442 and
5541	Gasoline Service Station	Inorganics, VOCs	Maintain area to minimize fuel contamination	NA
3599	Machinery, Except Electrical Manufacturing	inorganics, VOCs	Manage wastes properly and treat process wastewater prior to discharge to a POTW or direct	State or federal Storm water pollution prevention regulations
3442	Metal Doors, Sash, and Trim Manufacturing	inorganics	Minimize outdoor storage and control storm water runoff. Pre–treat process wastewater prior to discharge to POTW	State or federal Storm water pollution prevention regulations
3273	Ready–mix Concrete Plant Minerals and TSS		Minimize outdoor storage and control storm water runoff.	State or federal Storm water pollution prevention regulations
Scrap and Waste Materials		Metals, TSS	Minimize contact with storm water	State or federal Storm water pollution prevention regulations

Recommended Water Quality Protection Measures

SIC	SIC Source	Contaminant Source	Water Quality Protection Measure	Regulatory Authority	
3993	Signs and Advertising Display Manufacturing	inorganics, VOCs	Manage wastes properly and treat process wastewater prior to discharge to a POTW or direct	40 CFR 459 and State or federal Storm water pollution prevention regulations	
1521	Single–family Housing Construction	Oil, Paint, Pesticides, Fertilizers	Proper cleaning and disposal of household hazardous waste. Proper storage, application, and clean up of pesticides and fertilizers	KAR 28–48, KDHE, KDEM	
7532	Top, Body, and Upholstery Repair Shops and Paint Shops	Inorganics, VOCs	Discharge to POTW. Recycle where appropriate. Properly maintain oil product and waste. Manage paint and solvent wastes properly	NA	
3523	Farm Machinery and Equipment	inorganics	Discharge to POTW	State or federal Storm water pollution prevention regulations	
5083	Farm and Garden Machinery	inorganics	Discharge to POTW	NA	
191	General Farm, Primarily Crop	fertilizers, Pesticides	Maintain good erosion control practices and minimize the use of chemicals	NA	

Recommended Water Quality Protection Measures

SIC	SIC Source	Contaminant Source	Water Quality Protection Measure	Regulatory Authority		
2711	Newspapers Publishing and Printing	Inorganics, VOCs, Semi volatiles	Recycle chemicals where possible. Discharge to POTW	40 CFR 459 and State or federal Storm water pollution prevention regulations		
5561	Recreational vehicle sales and repair	Inorganics	Discharge to a POTW. Store oils and lubricants properly	Discharge to a POTW. Store oils and lubricants properly		
4953	Refuse Systems	Store wastes properly in order to minimize contact with storm water.		Maintain the lagoon or storage vessel properly. Control storm water run on and runoff to minimize contamination of storm water		
7699	Repair Services, Nec	inorganics	Discharge to POTW	NA		

Assessment Area: 138

Diversion Id's: 007, 006
Status: Accepted

Submit Date: 2002–10–28 13:20:05

Assessment Analysis:

The Assessment Analysis section displays the numbers assigned to each contaminant of concern category for each question in the susceptibility analysis.

This analysis is based on a decision tree framework consisting of a series of yes/no questions. These questions consider the proximity of contaminant sources to the water supply intake, the type of contaminant, and the application of pollution prevention or water quality protection practices to sources of contamination. As the evaluator moves through the analytical framework, susceptibility points are accumulated based on the presence of contaminant sources in the assessment area.

After all the questions have been answered, the SLS is calculated for each contaminant of concern category. The SLS is determined by counting the number of contamination risk factors found to occur in the delineated assessment area and applying a multiplier to this number. Because the number of contaminant category risk factors is not equal, the multiplier is used to establish a common scale for the SLS of each contaminant category.

Assessment Analysis

Public Water Supply: HARPER, CITY OF

Assessment Area: 138

Ground Water Multiple Wells Analysis

A – Microbiolgical B – Inorganic Compounds

B* – Nitrates
 C – Synthetic Organic Compounds
 C* – Pesticides
 D – Volatile Organic Compounds

No.	Question	Response	A	В	B *	C	C*	D
1	Is any well under the influence of surface water?	No	0	0	0	0	0	0
2	Do all PWS wells meet KS PWS water well construction standards?	Yes	0	0	0	0	0	0
3	Is any well less than 30 feet deep?	No	0	0	0	0	0	0
4	Is gravel pack within 20 feet of any well surface?	No	0	0	0	0	0	0
5	Does a PWS own or control all the areas around the wells?	No	1	1	1	1	1	1
6	Does Zone B consist entirely of native grass?	No	2	2	2	2	2	2
7	Is there a contaminated well in Zone B?	No	0	0	0	0	0	0
8	Is a class V UIC well present?	No	0	0	0	0	0	0
9	Are any commercial, industrial, or urban areas present in Zone B?	Yes	1	1	1	1	1	1
10	Does each industrial/commercial site and urban area have a water quality protection plan in place?	No	1	1	1	1	1	1
11	Are any non-farm home sites present in Zone B?	Yes	1	0	1	0	1	0
12	Do all the non-farm home sites have a water quality protection plan?	No	1	0	1	0	1	0
13	Are any farmsteads present in Zone B?	Yes	1	1	1	1	1	1
14	Do all farmsteads have a water quality protection plan?	No	1	1	1	1	1	1
15	Is there grazing livestock in Zone B?	Yes	1	0	1	0	0	0
16	Have all livestock producers implemented water quality protection measures?	No	1	0	1	0	0	0
17	Is there livestock confinement in Zone B?	No	0	0	0	0	0	0

No.	Question	Response	A	В	B *	C	C *	D
18	Is each confined animal feeding operation registered with KDHE?	Yes	0	0	0	0	0	0
19	Is there corn or grain sorghum production in Zone B?	No	0	0	0	0	0	0
20	Are corn/grain sorghum nutrient and pesticide management plans in use for each site?	Yes	0	0	0	0	0	0
21	Are any orchards present in Zone B?	No	0	0	0	0	0	0
22	Are orchard nutrient and pesticide management plans in use for each site?	Yes	0	0	0	0	0	0
23	Are there unsewered developments (concentrations of lagoons or septic systems) present in Zone B?	Yes	1	1	1	0	0	0
24	Is there a railroad or major highway in Zone B or C?	Yes	0	1	1	1	1	1
25	Is there oil production in Zone B or C?	Yes	0	1	0	1	0	1
26	Do coarse textured soils predominate Zones A, B and C?	No	0	0	0	0	0	0
27	Is an irrigation well located in Zone B or C?	Yes	0	1	1	1	1	1
28	Is a wastewater treatment facility in Zone B or C?	Yes	1	1	1	1	1	1
29	Is a solid waste landfill in Zone B or C?	Yes	1	1	1	1	1	1
30	Are there unplugged, abandoned water wells present in Zone C?	Yes	2	1	1	1	1	1
31	Are any commercial, industrial, or urban area present in Zone C?	Yes	1	1	1	1	1	1
32	Does each industrial/commercial site and urban area have a water quality protection plan in place?	No	1	1	1	1	1	1
33	Is there livestock confinement in Zone C?	Yes	1	1	1	1	1	0
34	Is each confined livestock facility registered with KDHE?	Yes	0	0	0	0	0	0
35	Do all the livestock producers have water quality protection measures in place?	No	1	0	1	0	0	0
36	Are cropland nutrient management plans in place?	No	0	0	1	0	0	0
37	Are cropland pesticide management plans in place?	No	0	0	0	0	1	0
38	Does a perennial stream flow into Zone C?	Yes	1	1	1	1	1	1
39	Are watershed water quality protection plans in place?	No	1	1	1	1	1	1

Assessment Area: 138

Diversion Id's: 007, 006
Status: Accepted

Submit Date: 2002–10–28 13:20:05

Site Comments:

The Site Comments section lists all the comments that were added for the potential sources of contamination found in the assessment area.

Local comments and feedback from people that are familiar with the assessment area is an important aspect of the assessment. The comments greatly improve the assessment by adding detail to the sites that can be referenced for more information.

This local information may include comments on potential contamination threats (or lack there of), local water quality protection initiatives, etc. Adding comments are optional and are mainly focused on sources in areas that could have the greatest impact on water supply if a spill or release occurred in the environment. It is left to the discretion of the PWS and/or source water assessment committee to add comments.

Site Comments

Public Water Supply: HARPER, CITY OF

Assessment Area: 138

Comments for Unregulated Sites

Did Not Receive Any Comments

Comments for Regulated Confined Animal Feeding Operations Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
Bergman Farms	2000651	This cattle livestock facility has no water quality protection plans.	Nicole Fisher
Bergman Farms	2000651	This cattle livestock facility has no water quality protection plans.	Nicole Fisher
Bergman Farms	2001265	This cattle livestock facility has no water quality protection plans.	Nicole Fisher
Bergman Farms	2001265	This cattle livestock facility has no water quality protection plans.	Nicole Fisher

Comments for Regulated Hazardous Waste Sites

Did Not Receive Any Comments

Comments for Regulated Leaking Storage Tank Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
Harper Co Shop, Harper	3002350	The site is currently being monitored from a gasoline leak in 1994. Very strong gas odors where present from surface to excavation at 15'. Soil was removed for aeration.	Nicole Fisher
Harper Co Shop, Harper	3002350	The site is currently being monitored from a gasoline leak in 1994. Very strong gas odors where present from surface to excavation at 15'. Soil was removed for aeration.	Nicole Fisher
Harper Co Shop, Harper	3002350	The site is currently being monitored from a gasoline leak in 1994. One domestic water well was within .25 miles downgradient of the leak.	Nicole Fisher
Ron's Service	3000163	The contamination was from a gasoline leak in 2000 and the site is currently being monitored. The tanks were removed and a test pit was dug to 22 ft; gasoline odor increased with depth.	Nicole Fisher
Ron's Service	3000163	The site is currently being monitored from a gasoline leak in 2000. One domestic water well is within .25 miles downgradient of the leak.	Nicole Fisher
Ron's Service	3000163	The site is currently being monitored from a gasoline leak in 2000. The tanks were removed and a test pit was dug to 22 ft with the gasoline odor increasing with depth.	Nicole Fisher

Comments for Regulated Identified Contaminated Sites

Did Not Receive Any Comments

Comments for Regulated Solid Waste Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
Hi-Grade Sand Co.		Inot onen to the nublic. No groundwater monitoring is	Nicole Fisher
Hi-Grade Sand Co.	5000484	Inot open to the public. No groundwater monitoring is	Nicole Fisher

Comments for Regulated Solid Waste Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
Hi–Grade Sand Co. 5000484			Nicole Fisher

Comments for Regulated Waste Water Sites

Potential Contaminant Site Name	Site No. Site Comments		Author
HARPER MWTP	6001036	Idischarges into the Chikaskia River by Sand Creek	Nicole Fisher
HARPER MWTP 6001036		Idischarges within ettlijent limitations and monitoring	Nicole Fisher

Assessment Area: 138

Diversion Id's: 007, 006
Status: Accepted

Submit Date: 2002–10–28 13:20:05

Added Site Comments:

The Added Site Comments section lists the comments for why sites were added as a potential source of contamination found to the assessment area.

Added Site Comments

Public Water Supply: HARPER, CITY OF

Assessment Area: 138

Comments for Added Contaminant Sites

Added Contaminant Site Name	Site No.	Site Comments	Author
Ag. Center Pesticide and Fertilizer Application Servic	9000169	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
City Municipal Airport	9000168	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
Fuel, grain and feed and hay storage	9000574	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
Irrigation equipment, pump site, and well	9000567	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
Irrigation equipment, pump site, and well	9000572	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
Salvage/Recycler	9000170	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
Salvage/Recycler	9000575 This information was obtained from the Wellhead Protection Plan.		Nicole Fisher
alfalfa field	1 9000573 1		Nicole Fisher
dryland cropland	9000167	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
dryland cropland	9000173	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher

Comments for Added Contaminant Sites

Added Contaminant Site Name	Site No.	Site Comments	Author
grassland	9000172	This information was obtained from the Wellhead Protection Plan.	
irrigated and dryland cropland	9000566	This information was obtained from the Wellhead Protection Plan.	
irrigated cropland 9000568 This information was obtain Protection Plan.		This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
irrigated cropland	rigated cropland 9000571 This information was obtained from the Work Protection Plan.		Nicole Fisher
Tirrigration numbs 190001741		This information was obtained from the Wellhead Protection Plan.	Nicole Fisher

Assessment Area: 138

Diversion Id's: 007, 006
Status: Accepted

Submit Date: 2002–10–28 13:20:05

Analysis Question Comments:

The Analysis Question Comments section lists all the comments that were added during analysis portion of the assessment, in which a series of yes/no questions were asked.

Evaluators have the option to add comments to questions to clarify why a response was given or to give more details to a question. Local comments and feedback from people that are familiar with the assessment area is an important aspect of the assessment. The comments greatly improve the assessment by adding clarification and details that could not be identified with a simple yes or no response.

Analysis Question Comments

Public Water Supply: HARPER, CITY OF

Assessment Area: 138

Comments for Analysis Questions

Analysis Question	Question Comments	Author
Does a perennial stream flow into Zone C?	Spring Creek, a tribuary of Bluff Creek, passes through the protection area flowing north to south. Most of the year this portion of Spring Creek doesn't have a continuous flow of water. This information was obtained from the Wellhead Protection Plan.	Nicole Fisher

Assessment Area: 139
Diversion Id's: 005

Status: Accepted

Submit Date: 2002–10–30 15:39:44

Executive Summary:

The Executive Summary gives the assessment area's Susceptibility Likelihood Score (SLS) for each contaminant of concern category.

SLS indicates which contaminant category is most likely to impact a given public water supply. Contaminants of concern for groundwater include microbiological, inorganic compounds, nitrates, synthetic organic compounds, pesticides, and volatile organic compounds. Contaminants of concern for surface water include microbiological, inorganic compounds, eutrophication – phosphorus, sedimentation, synthetic organic compounds, pesticides, and volatile organic compounds.

To determine the assessment area's susceptibility to contamination, a qualitative (semi-quantitative) screening level susceptibility analysis was designed that utilizes general assumptions and best professional judgement. It is a systematic procedure comprised of simple yes/no questions. Each question in the susceptibility analysis focuses on the presence or absence of potential pollution sources in the assessment area. SLS is most useful in helping the Public Water Supply (PWS) focus on water quality protection actions towards a contaminant category of concern. For example, if the SLS for microbiological contamination is high, relative to volatile organic compounds (VOC), water supply protection planners would conclude that the attention should be directed towards microbiological contaminant sources rather than VOC sources.

Executive Summary

Public Water Supply: HARPER, CITY OF

Assessment Area: 139

Susceptibility Likelihood Scores for Assessment Area

Contaminant Category	A	В	B*	С	C*	D
Susceptibility Likelihood Score – SLS	41	45	45	48	42	51
SLS Range	Low	Low	Low	Low	Low	Low

A – Microbiolgical

B* – Nitrates

C* – Pesticides

B – Inorganic Compounds

C – Synthetic Organic Compounds

D – Volatile Organic Compounds

Susceptibility Likelihood Range

SLS Range	
0-50	Low Susceptibility
51-80	Moderate Susceptibility
81–100	High Susceptibility

Assessment Area: 139
Diversion Id's: 005

Status: Accepted

Submit Date: 2002–10–30 15:39:44

Potential Sources:

The Potential Sources section lists all the sites that have been identified as potential sources of contamination.

Potential sources of contamination may include land uses, industry, or businesses that could generate or store chemicals/substances that could potentially contaminate the water supply only if released into the environment. Both unregulated sites from business location databases and regulated sites from various KDHE databases were compiled. Additional sites could have been added by an evaluator through the assessment process to supplement the original data.

The 1987 Standard Industrial Classifications (SIC) were used to identify potential contaminate sites. The SIC system classifies establishments into industries on the basis of the primary activities of the establishment.

Each assessment area is delineated with 3 assessment zones. These zones can be used to get a general understanding of the potential influence sites have based on proximity to the water supply. Zone A is a 100-foot radius around a groundwater well and a 1000-foot radius around a surface water intake. Zone B is a 2000-foot radius around wells and a hydrological delineated buffer around the surface water sources. Zone C is a 2-mile radius around wells and the balance of the watershed for intakes. The potential sources listed in this section are sorted to show all the potential sources in Zone A first, Zone B second, and Zone C third.

Although a facility or business is identified in the study as a potential concern, it does not necessarily mean a release or spill has occurred. Contamination could only occur if certain chemical substances are released into the environment and filter into the water supply source.

The data for the potential sources of contamination was compiled from May through August in 2002. Some of the databases used were incomplete datasets that are continually being updated. Due to the incompleteness, inaccuracies, and new development, it is possible that sources of potential contamination that are in the assessment area are not included in the report. Inaccurate locations could also cause sources to show up in the assessment area that are not actually in the assessment. Additionally, duplication between the datasets could cause sites to show up multiple times in the assessment area.

Potential Sources

Public Water Supply: HARPER, CITY OF

Assessment Area: 139

Unregulated Potential Site Sources

Source No.	SIC Description	SIC ID	Zone
167654	General Farm, Primarily Crop	191	С
167625	Single–family Housing Construction	1521	С
167563	Newspapers Publishing and Printing	2711	С
167639	Ready-mix Concrete Plant	3273	С
167540	Metal Doors, Sash, and Trim Manufacturing	3442	С
167543	Farm Machinery and Equipment	3523	С
167656	Farm Machinery and Equipment	3523	С
167650	Machinery, Except Electrical Manufacturing	3599	С
167655	Machinery, Except Electrical Manufacturing	3599	С
167583	Signs and Advertising Display Manufacturing	3993	С
167628	Refuse Systems	4953	С
167657	Farm and Garden Machinery	5083	С
167653	Scrap and Waste Materials	5093	С
167608	Gasoline Service Station	5541	С

Unregulated Potential Site Sources

Source No.	SIC Description	SIC ID	Zone
167621	Gasoline Service Station	5541	С
167645	Gasoline Service Station	5541	С
167612	Recreational vehicle sales and repair	5561	С
167659	Top, Body, and Upholstery Repair Shops and Paint Shops	7532	С
167617	Auto Truck Repair Service		С
167635	Repair Services, Nec	7699	С

Regulated Confined Animal Feeding Operations Potential Site Sources

Did Not Contain Any Of These Potential Site Sources

Regulated Hazardous Waste Potential Site Sources

Did Not Contain Any Of These Potential Site Sources

Regulated Leaking Storage Tank Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
3000163	Ron's Service	01967	С

Regulated Leaking Storage Tank Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
3002350	Harper Co Shop, Harper	29770	С

Regulated Identified Contaminated Potential Site Sources

Did Not Contain Any Of These Potential Site Sources

Regulated Solid Waste Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
5000484	Hi-Grade Sand Co.	0468-S	С

Regulated Waste Water Potential Site Sources

Did Not Contain Any Of These Potential Site Sources

Assessment Area: 139
Diversion Id's: 005

Status: **Accepted**

Submit Date: 2002–10–30 15:39:44

Added Sources:

The Added Sources section lists all the sites that have been added as potential sources of contamination by an evaluator through the assessment process to supplement the original data.

The potential sources listed in this section are sorted to show the added potential sources in Zone A first, Zone B second, and Zone C third.

Although a facility or business was added as a potential concern, it does not necessarily mean a release or spill has occurred. Contamination could only occur if certain chemical substances are released into the environment and filter into the water supply source.

Added Sources

Public Water Supply: HARPER, CITY OF

Assessment Area: 139

Added Potential Site Sources

Source No.	Source Name	SIC ID	Zone
9000567	Irrigation equipment, pump site, and well	10012	В
9000572	Irrigation equipment, pump site, and well	10012	В
9000574	Fuel, grain and feed and hay storage	10026	В
9000573	alfalfa field	10086	В
9000167	dryland cropland	111	В
9000568	irrigated cropland	111	В
9000566	irrigated and dryland cropland	116	В
9000571	irrigated cropland	116	В
9000172	grassland	0	С
9000174	irrigration pumps	10012	С
9000170	Salvage/Recycler	10015	С
9000575	Salvage/Recycler	10015	С
9000169	9000169 Ag. Center Pesticide and Fertilizer Application Servic		С
9000173	dryland cropland	111	С
9000168	City Municipal Airport	4582	С

Assessment Area: 139
Diversion Id's: 005

Status: Accepted

Submit Date: 2002–10–30 15:39:44

Potential Contaminants Summary:

The Contaminants Summary shows the number of identified unregulated sources in the assessment area for each contaminant of concern category.

In order to obtain the number or sources for each category, a relationship was correlated between each Standard Industrial Classification (SIC) and the contaminant of concern categories. Each SIC was assessed and associated with contaminant categories. For example, if not managed properly, a car wash (SIC 7542) could potentially contaminate an intake because of inorganic compounds (IOC) and volatile organic compounds (VOC); thus, a car wash is associated with IOCs and VOCs.

A chart displays a count for each contaminant category. The sum for each category represents the total number of identified sources that have been associated with that particular contaminant category. However, the total number of identified sources does not include contaminants from the Added Sources. In our example, a car wash would be considered 2 sources of contamination. It would be a potential source of contamination for IOCs and for VOCs; thus, 1 would be added to the total number of sources in the VOC category and 1 would be added to the IOC category.

Potential Contaminants Summary

Public Water Supply: HARPER, CITY OF

Assessment Area: 139

Number of Unregulated Site Sources Identified for each Contaminant Category

MicroBiological	Pesticides	IOC's	SOC's	VOC's	Nitrates
2	2	19	3	13	3

A – Microbiolgical

B* – Nitrates

C* - Pesticides

B – Inorganic Compounds

C – Synthetic Organic Compounds

D – Volatile Organic Compounds

Assessment Area: 139
Diversion Id's: 005

Status: Accepted

Submit Date: 2002–10–30 15:39:44

Potential Contaminants Listing:

The Potential Contaminants section lists the contaminant of concern category associated with each Standard Industrial Classification (SIC) found in an assessment area. A complete list of contaminant category codes are located at the bottom of this page.

The relationships defined between the Standard Industrial Classifications (SIC) and the contaminant of concern categories are displayed in a table format. Using our car wash example, the relationships can be better illustrated. A car wash could release IOC and VOC chemical substances. The connection is shown by indicating the SIC, 7542, and the associated contaminant categories, IOC (Category B) and VOC (Category D). However, the contaminants listed are not associated with any Added Sources.

The list is sorted by the SIC source description and it only shows unique SIC sources. For example, an assessment area can have 20 car washes in an assessment area, but the list is only going to show contaminant categories associated with car washes onetime. This is because all car washes have the same SIC and every car wash poses the same potential threat to water intakes.

A – Microbiolgical B – Inorganic Compounds
 B2 – Sedimentation B* – Nitrates
 B1 – Eutrophication – Phosphorous
 C – Synthetic Organic Compounds

C* – Pesticides **D** – Volatile Organic Compounds

Potential Contaminants Listing

Public Water Supply: HARPER, CITY OF

Assessment Area: 139

Unregulated Identified Site Sources and associated Potential Contaminant Category

SIC ID	SIC Source	Potential Contaminant	Contaminant Category
7538	Auto Truck Repair Service	Inorganics, VOCs	В
"	"	"	D
5541	Gasoline Service Station	Inorganics, VOCs	В
"	"	"	D
3599	Machinery, Except Electrical Manufacturing	inorganics, VOCs	В
"	"	"	D
3442	Metal Doors, Sash, and Trim Manufacturing	inorganics	В
"	"	"	D
3273	Ready-mix Concrete Plant	Minerals and TSS	В
5093	Scrap and Waste Materials	Metals, TSS	В
3993	Signs and Advertising Display Manufacturing	inorganics, VOCs	В
"	"	"	D
1521	Single–family Housing Construction	Oil, Paint, Pesticides, Fertilizers	A
"	"	"	B1
"	"	"	B2
"	"	"	B*
"	"	"	С

Unregulated Identified Site Sources and associated Potential Contaminant Category.

SIC ID	SIC Source	Potential Contaminant	Contaminant Category
7532	Top, Body, and Upholstery Repair Shops and Paint Shops	Inorganics, VOCs	В
"	"	"	D
3523	Farm Machinery and Equipment	inorganics	В
"	"	11	D
5083	Farm and Garden Machinery	inorganics	В
191	General Farm, Primarily Crop	fertilizers, Pesticides	В
"	"	11	B1
"	"	"	B2
"	"	"	B*
"	"	11	C*
2711	Newspapers Publishing and Printing	Inorganics, VOCs, Semi volatiles	В
"	"	"	С
"	"	"	D
5561	Recreational vehicle sales and repair	Inorganics	В
4953	Refuse Systems	ALL	A
"	"	11	В
"	"	"	B1
"	"	"	B2
"	"	"	B*

Unregulated Identified Site Sources and associated Potential Contaminant Category.

SIC ID	SIC Source	Potential Contaminant	Contaminant Category
4953	Refuse Systems	ALL	С
"	"	"	C*
"	"	"	D
7699	Repair Services, Nec	inorganics	В

Assessment Area: 139
Diversion Id's: 005

Status: Accepted

Submit Date: 2002–10–30 15:39:44

Protection Measures:

The Protection Measures section shows water quality protection measures for the Standard Industrial Classifications (SIC) identified in the assessment area.

Previous sections of this report are designed to show areas that Public Water Supplies (PWS) can focus on to improve the susceptibility of an assessment area. This section helps identify water quality protection measures that a PWS can use as guidance for implementing action for a potential contaminant site in the assessment area. It focuses on protection measures that can reduce the risk of contamination to the water supply.

This portion of the report only displays water quality protection measures for each type of SIC found in the assessment area. It does not display protection measures for each site in the assessment area because every SIC should have the same or similar water quality protection management practices. However, the protection measures listed are not associated with any Added Sources.

Protection Measures

Public Water Supply: HARPER, CITY OF

Assessment Area: 139

Recommended Water Quality Protection Measures

SIC	SIC Source	Contaminant Source	Water Quality Protection Measure	Regulatory Authority
7538	Auto Truck Repair Service	Inorganics, VOCs	Discharge to POTW. Manage oil products and used oil so that it is not in contact with water	40 CFR 442 and
5541	Gasoline Service Station	Inorganics, VOCs	Maintain area to minimize fuel contamination	NA
3599	Machinery, Except Electrical Manufacturing	inorganics, VOCs	Manage wastes properly and treat process wastewater prior to discharge to a POTW or direct	State or federal Storm water pollution prevention regulations
3442	Metal Doors, Sash, and Trim Manufacturing	inorganics	Minimize outdoor storage and control storm water runoff. Pre–treat process wastewater prior to discharge to POTW	State or federal Storm water pollution prevention regulations
3273	Ready-mix Concrete Plant	Minerals and TSS	Minimize outdoor storage and control storm water runoff.	State or federal Storm water pollution prevention regulations
5093	Scrap and Waste Materials	Metals, TSS	Minimize contact with storm water	State or federal Storm water pollution prevention regulations

Recommended Water Quality Protection Measures

SIC	SIC Source	Contaminant Source	Water Quality Protection Measure	Regulatory Authority
3993	Signs and Advertising Display Manufacturing	inorganics, VOCs	Manage wastes properly and treat process wastewater prior to discharge to a POTW or direct	40 CFR 459 and State or federal Storm water pollution prevention regulations
1521	Single–family Housing Construction	Oil, Paint, Pesticides, Fertilizers	Proper cleaning and disposal of household hazardous waste. Proper storage, application, and clean up of pesticides and fertilizers	KAR 28–48, KDHE, KDEM
7532	Top, Body, and Upholstery Repair Shops and Paint Shops	Inorganics, VOCs	Discharge to POTW. Recycle where appropriate. Properly maintain oil product and waste. Manage paint and solvent wastes properly	NA
3523	Farm Machinery and Equipment	inorganics	Discharge to POTW	State or federal Storm water pollution prevention regulations
5083	Farm and Garden Machinery	inorganics	Discharge to POTW	NA
191	General Farm, Primarily Crop	fertilizers, Pesticides	Maintain good erosion control practices and minimize the use of chemicals	NA

Recommended Water Quality Protection Measures

SIC	SIC Source	Contaminant Source	Water Quality Protection Measure	Regulatory Authority
2711	Newspapers Publishing and Printing	Inorganics, VOCs, Semi volatiles	Recycle chemicals where possible. Discharge to POTW	40 CFR 459 and State or federal Storm water pollution prevention regulations
5561	Recreational vehicle sales and repair	Inorganics	Discharge to a POTW. Store oils and lubricants properly	Discharge to a POTW. Store oils and lubricants properly
4953	Refuse Systems	ALL	Store wastes properly in order to minimize contact with storm water.	Maintain the lagoon or storage vessel properly. Control storm water run on and runoff to minimize contamination of storm water
7699	Repair Services, Nec	inorganics	Discharge to POTW	NA

Assessment Area: 139
Diversion Id's: 005

Status: Accepted

Submit Date: 2002–10–30 15:39:44

Assessment Analysis:

The Assessment Analysis section displays the numbers assigned to each contaminant of concern category for each question in the susceptibility analysis.

This analysis is based on a decision tree framework consisting of a series of yes/no questions. These questions consider the proximity of contaminant sources to the water supply intake, the type of contaminant, and the application of pollution prevention or water quality protection practices to sources of contamination. As the evaluator moves through the analytical framework, susceptibility points are accumulated based on the presence of contaminant sources in the assessment area.

After all the questions have been answered, the SLS is calculated for each contaminant of concern category. The SLS is determined by counting the number of contamination risk factors found to occur in the delineated assessment area and applying a multiplier to this number. Because the number of contaminant category risk factors is not equal, the multiplier is used to establish a common scale for the SLS of each contaminant category.

Assessment Analysis

Public Water Supply: HARPER, CITY OF

Assessment Area: 139

Ground Water Single Well Analysis

 ${\bf A}$ – Microbiolgical ${\bf B}$ – Inorganic Compounds

B* – Nitrates
 C – Synthetic Organic Compounds
 C* – Pesticides
 D – Volatile Organic Compounds

No.	Question	Response	A	В	B *	C	C*	D
1	Is the well under the influence of surface water?	No	0	0	0	0	0	0
2	Does the well meet KS water well construction standards?	Yes	0	0	0	0	0	0
3	Is the depth of the well less than 30 feet?	No	0	0	0	0	0	0
4	Are there unplugged, abandoned water wells present in Zone A?	No	0	0	0	0	0	0
5	Is there gravel pack within 20 feet of the surface?	No	0	0	0	0	0	0
6	Does a PWS own or control Zone A?	Yes	0	0	0	0	0	0
7	Does Zone A consist entirely of native grass?	Yes	0	0	0	0	0	0
8	Is there a contaminated well in the Zone A?			1	1	1	1	1
9	Is a class V UIC well present?		0	0	0	0	0	0
10	Are any commercial, industrial, or urban areas present in Zone B?	No	0	0	0	0	0	0
11	Does each industrial/commercial site and urban area have a water quality protection plan in place?		0	0	0	0	0	0
12	Are any non-farm home sites present in Zone B?		0	0	0	0	0	0
13	Do all the non-farm home sites have a water quality protection plan?		0	0	0	0	0	0
14	Are any farmsteads present in Zone B?		1	1	1	1	1	1
15	Do all farmsteads have a water quality protection plan?	No	1	1	1	1	1	1
16	Does Zone B consist entirely of native grass?	No	1	1	1	1	1	1
17	Is there grazing livestock in Zone B?	Yes	1	0	1	0	0	0

No.	Question	Response	A	В	B *	C	C*	$ \mathbf{D} $
18	Do all the livestock producers have water quality protection measures in place?	No	1	0	1	0	0	0
19	Is there livestock confinement in Zone B?	No	0	0	0	0	0	0
20	Is each confined animal feeding operation registered with KDHE?	Yes	0	0	0	0	0	0
21	Is there corn or grain sorghum production in Zone B?	Yes	0	0	1	0	1	0
22	Are corn/grain sorghum nutrient and pesticide management plans in use for each site?	No	0	0	1	0	1	0
23	Are any orchards present in Zone B?	No	0	0	0	0	0	0
24	Are orchard nutrient and pesticide plans in use for each site?	Yes	0	0	0	0	0	0
25	Are there unsewered developments (concentrations of lagoons or septic systems) present in Zone B?	Yes	1	1	1	0	0	0
26	Is there a railroad or major highway in Zone B or C?	Yes	0	1	1	1	1	1
27	Is there oil production in Zone B or C?		0	1	0	1	0	1
28	Do coarse textured soils predominate Zones A, B and C?		0	0	0	0	0	0
29	Is an irrigation well located in Zone B or C?		0	1	1	1	1	1
30	Is a wastewater treatment facility in Zone B or C?		0	0	0	0	0	0
31	Is a solid waste landfill in Zone B or C?		1	1	1	1	1	1
32	Are there unplugged, abandoned water wells present in Zone B or C?		1	0	0	0	0	0
33	Are any commercial, industrial, or urban areas present in Zone C?	Yes	1	1	1	1	1	1
34	Are water quality protection plans in use for each site/area?	No	1	1	1	1	1	1
35	Is there livestock confinement in Zone C?	No	0	0	0	0	0	0
36	Is each confined livestock facility registered with KDHE?		0	0	0	0	0	0
37	Do all the livestock producers have water quality protection measures in place?		0	0	0	0	0	0
38	Are cropland nutrient management plans in place?		0	0	1	0	0	0
39	Are cropland pesticide management plans in place?	No	0	0	0	0	1	0
40	Does a perennial stream flow into Zone C?	Yes	1	1	1	1	1	1
41	Are watershed water quality protection plans in place?	No	1	1	1	1	1	1

Assessment Area: 139
Diversion Id's: 005

Status: **Accepted**

Submit Date: 2002–10–30 15:39:44

Site Comments:

The Site Comments section lists all the comments that were added for the potential sources of contamination found in the assessment area.

Local comments and feedback from people that are familiar with the assessment area is an important aspect of the assessment. The comments greatly improve the assessment by adding detail to the sites that can be referenced for more information.

This local information may include comments on potential contamination threats (or lack there of), local water quality protection initiatives, etc. Adding comments are optional and are mainly focused on sources in areas that could have the greatest impact on water supply if a spill or release occurred in the environment. It is left to the discretion of the PWS and/or source water assessment committee to add comments.

Site Comments

Public Water Supply: HARPER, CITY OF

Assessment Area: 139

Comments for Unregulated Sites

Did Not Receive Any Comments

Comments for Regulated Confined Animal Feeding Operations Sites

Did Not Receive Any Comments

Comments for Regulated Hazardous Waste Sites

Did Not Receive Any Comments

Comments for Regulated Leaking Storage Tank Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
Harper Co Shop, Harper	3002350	The site is currently being monitored from a gasoline leak in 1994. Very strong gas odors where present from surface to excavation at 15'. Soil was removed for aeration.	Nicole Fisher
Harper Co Shop, Harper		The site is currently being monitored from a gasoline leak in 1994. Very strong gas odors where present from surface to excavation at 15'. Soil was removed for aeration.	Nicole Fisher

Comments for Regulated Leaking Storage Tank Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
Harper Co Shop, Harper	3002350	The site is currently being monitored from a gasoline leak in 1994. One domestic water well was within .25 miles downgradient of the leak.	Nicole Fisher
Ron's Service	3000163	The contamination was from a gasoline leak in 2000 and the site is currently being monitored. The tanks were removed and a test pit was dug to 22 ft; gasoline odor increased with depth.	Nicole Fisher
Ron's Service	3000163	The site is currently being monitored from a gasoline leak in 2000. One domestic water well is within .25 miles downgradient of the leak.	Nicole Fisher
Ron's Service	3000163	The site is currently being monitored from a gasoline leak in 2000. The tanks were removed and a test pit was dug to 22 ft with the gasoline odor increasing with depth.	Nicole Fisher

Comments for Regulated Identified Contaminated Sites

Did Not Receive Any Comments

Comments for Regulated Solid Waste Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
Hi–Grade Sand Co.	5000484	Inot onen to the nublic. No groundwater monitoring is	Nicole Fisher
Hi-Grade Sand Co.	5000484	Inot onen to the nublic. No groundwater monitoring is	Nicole Fisher
Hi-Grade Sand Co.	5000484	This solid waste facility is privately owned and is used for construction/demolition.	Nicole Fisher

Comments for Regulated Waste Water Sites

Did Not Receive Any Comments

Assessment Area: 139
Diversion Id's: 005

Status: Accepted

Submit Date: 2002–10–30 15:39:44

Added Site Comments:

The Added Site Comments section lists the comments for why sites were added as a potential source of contamination found to the assessment area.

Added Site Comments

Public Water Supply: **HARPER**, **CITY OF**

Assessment Area: 139

Comments for Added Contaminant Sites

Added Contaminant Site Name	Site No.	Site Comments	Author
Ag. Center Pesticide and Fertilizer Application Servic	9000169	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
City Municipal Airport	9000168	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
Fuel, grain and feed and hay storage	9000574	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
Irrigation equipment, pump site, and well	9000567	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
Irrigation equipment, pump site, and well	9000572	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
Salvage/Recycler	9000170	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
Salvage/Recycler	9000575	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
alfalfa field	9000573	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
dryland cropland	9000167	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
dryland cropland	9000173	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher

Comments for Added Contaminant Sites

Added Contaminant Site Name	Site No.	Site Comments	Author
grassland	9000172	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
irrigated and dryland cropland	9000566	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
irrigated cropland	9000568	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
irrigated cropland	9000571	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
irrigration pumps	9000174	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher

Assessment Area: 139
Diversion Id's: 005

Status: **Accepted**

Submit Date: 2002–10–30 15:39:44

Analysis Question Comments:

The Analysis Question Comments section lists all the comments that were added during analysis portion of the assessment, in which a series of yes/no questions were asked.

Evaluators have the option to add comments to questions to clarify why a response was given or to give more details to a question. Local comments and feedback from people that are familiar with the assessment area is an important aspect of the assessment. The comments greatly improve the assessment by adding clarification and details that could not be identified with a simple yes or no response.

Analysis Question Comments

Public Water Supply: HARPER, CITY OF

Assessment Area: 139

Comments for Analysis Questions

Analysis Question	Question Comments	Author
N/A or Unknown	The railroad tracks in the Northern half of the Protection area have been abandoned according to the Wellhead Protection Plan.	Nicole Fisher
Does a perennial stream flow into Zone C?	Spring creek, a tributary of Bluff Creek, passes through the protection area flowing north to south. This portion of Spring creek does not have a continuous flow throughout the year according to the Wellhead Protection Plan.	Nicole Fisher
N/A or Unknown	This well is not currently in use because of elevated nitrate levels.	Nicole Fisher